

Certificate No. CBD-SPS-0010

Customer Details:	SimplySupplements		
Sample ID:	E135 CBD Balm with 1% CBD extract 300mg		
Batch No:	B-32122-1		
Adact Refer.#	#10700	Testing Method:	HPLC-DAD
Sample Number:	CBD-SPS-0010	Testing Date:	27/03/2024
Sample Received Date:	21/03/2024	Analysis Date:	27/03/2024
Sample Condition:	Good	Cert.Issue Date:	28/03/2024
Sampling Date:	27/03/2024	Density (g/ml)	n/a

Analyte	LOD (%)	LOQ (%)	Result (mg/30ml)
CBDVA (Cannabidivarinic acid)	0.0005	0.0015	< LOQ
CBDV (Cannabidivarin)	0.0004	0.0011	< LOQ
CBDA (Cannabidiolic acid)	0.0005	0.0015	< LOQ
CBGA (Cannabigerolic acid)	0.0005	0.0015	< LOQ
CBG (Cannabigerol)	0.0003	0.0010	< LOQ
CBD (Cannabidiol)	0.0004	0.0011	248.13
THCV (Tetrahydocannabinavarin)	0.0014	0.0043	< LOQ
THCVA (Tetrahydrocannabivarinic acid)	0.0005	0.0014	< LOQ
CBN (Cannabinol)	0.0004	0.0013	< LOQ
CBNA (Cannabinolic acid)	0.0004	0.0013	< LOQ
Δ9-THC (Δ9-tetrahydrocannabinol)	0.0004	0.0013	< LOQ
Δ8-THC (Δ8-tetrahydrocannabinol)	0.0004	0.0011	< LOQ
CBL (Cannabicyclol)	0.0004	0.0012	< LOQ
CBC (Cannabichromene)	0.0004	0.0012	< LOQ
Δ9-THCA (Δ9-tetrahydrocannabinolic acid)	0.0013	0.0039	< LOQ
CBCA (Cannabichromenic acid)	0.0004	0.0013	< LOQ

LOD - denotes limit of detection

LOQ - denotes limit of quantitation

<LOQ - denotes less than limit of quantitation

Opinions & interpretations are outside the scope of accreditation

The measurement of uncertainty is not taken into account, unless stated.

Where applicable, density is determined gravimetrically in-house

Reviewed & Authorised by

ISO/IEC 17025:2017




Chris Stakes
Laboratory Manager

Accreditation number: 106599



The reported results refer only to the item received and tested. The report shall not be reproduced, except in full, without written approval of The Lab.

The Lab, ADACT Medical Ltd, Unit 2 Crompton Business Park, Crompton Road, Doncaster DN2 4PA.

Company Reg. No: 08173910. VAT Registration No: 145159903.